


10-Port USB & TYPE-C Charging Station with Apple Watch Stand User Reference Guide



Key Features & Benefits

- Power and charge up to 9 USB ports and 1 USB Type-C port powered devices simultaneously
- USB Type-C port meets USB-C standards allowing fast charging up to 5V/3A
- USB charging port integrated with auto detection smart IC for maximum charging efficiency
- 2.4A (max) power output supplied USB port for rapid charging of iPhones, iPads, smartphones, tablets and other compatible USB powered devices
- 9 individual open slots fit and hold most tablets or smartphones, ideal as a space-saving charging solution
- Apple Watch Stand The watch stand is designed to seamlessly accommodate the Apple Watch charging cable
- Includes 90W high performance power adapter with Over-Current, Over-Voltage, Over-Charge, Short-Circuit safety protections to safeguard all of your connected devices

Specifications

Input	AC 100-240V, 50/60Hz
Output	DC 19V/4.73A, 89.87W
Total Charging Output	DC 5V/18A (Max.)
USB Port Output	DC 5V/2.4A (Max.)
USB Type-C Port Output	DC 5V/3A (Max.)
Dimensions	10.78" (W) x 5.43" (H) x 4.33" (D)
Weight	1.4 lbs
Operating Temperature	32 to 104 degrees F
Storage Temperature	14 to 122 degrees F

Package Contents

- ➤ 10-Port USB & TYPE-C Charging Station with Apple Watch Stand
- Apple Watch Stand
- AC Power Adapter
- User Reference Guide

Product Layout




Figure 1: 10-Port USB & TYPE-C Charging Station with Apple Watch Stand

- ➤ Apple Watch Stand (removable): Holds your Apple Watch and it's charger while charging (optional)
- ➤ Power Switch: Turns on / off the charging station





Figure 2: Rear side

Power Jack: Plug the included AC Power Adapter here

- ➤ USB Charging Ports (x9): Connect to charge your smartphones, tablets and other USB-powered devices
- ➤ USB Type-C Charging Port (x1): Connect to charge your USB-C devices

Power Jack

Refer to below table for the specifications of the power jack.



Outside	Inside	Plug	Negative / Positive
diameter	diameter	length	
(OD)	(ID)	(L)	
5.5(mm)	2.5(mm)	10(mm)	*Center pin for positive voltage and the outer shield for negative voltage

Table 1: Power Jack Specifications



Figure 2: Power supply & AC power cord

Installation

- 1. Insert the AC power cord into the power supply.
- Insert the power supply's plug into the charging station's power jack.
- 3. Plug the power supply into a reliable 100V-240V wall outlet.
- Press the **Power Switch** to power on the charging station and verify the blue LED is lit.
- Plug in your devices with their USB charging cables.
 Note: USB charging cables are not included.

FAQ & Solutions

If the charging station isn't functioning properly:

- Make sure the charging station is plugged into a functioning wall outlet
- ➤ Make sure the power supply's green LED is lit to ensure it's receiving power
- Firmly insert the USB charging cable into both the charging station and your USB device
- Keep the total wattage for all connected USB devices under 90W
- > Check the power switch LED to make sure it's lit

Safety Notice

- ➤ Check that the wall outlet you are using is within the AC 100V 240V range
- Do not place the charging station on heated seats or against other heated sources
- Do not attempt to replace any part of the charging station on your own
- Do not expose the charging station to liquids or excessive heat
- ➤ Do not use any corrosive cleaning substances with the charging station
- Keep out of reach of children

Warranty Statement

This warranty covers the original purchaser and guarantees that the product be free of any defects in materials or workmanship for one (1) year from the date of product purchase.

Copyright Statement

10-Port USB & TYPE-C Charging Station with Apple Watch Stand is a trademark of AVLT-Power Inc. All other trademarks are the property of their respective owners.

Lot Number

Please keep this LOT number for future product return, warranty or exchange.

Lot Number	Part Number