Introduction

USB 3.1 Gen 1 to 6Gb/s SATA Adapter - Type-C adds an external 2.5" SATA HDD/SSD to your Windows or Mac computer through a USB Type-C port.

Specifications

Host Interface	USB 3.1 Gen1 Type-C
Connectors	USB 3.1 Type-C, Male 7+15 pin, SATA data & power connector
Data Transfer Rate	Up to 5Gb/s
Drive form factor	SATA
Drive Size	2.5"
Housing Material	Plastic
Power	USB Bus-powered
Color	Black
Dimensions	2.76" (W) x 0.47" (H) x 0.79" (D)
Weight	0.05 lbs

System Requirements

- Desktop or notebook PC with an available USB Type-C port
- Windows® or Mac OS X®

Package Contents

- *USB 3.1 Gen 1 to 6Gb/s SATA Adapter - Type-C*
- User Reference Guide

Product Layout

Figure 1: USB 3.1 Gen 1 to 6Gb/s SATA Adapter - Type-C

- **USB Type-C:** Connects to an available USB Type-C port of your computer
- **SATA Connector:** Connects to a 2.5" SATA HDD/ SSD
- **Power / Activity LED:** Illuminates when the *Adapter* is powered on (plugged into a USB port); flashes during data transfer

Hardware Installation

Static Electricity Discharge may permanently damage your system. Discharge any static electricity build up in your body by touching your computer case for a few seconds. Hard drives should be handled carefully, otherwise you may experience data loss.

> **Note:** The *USB 3.1 Gen 1 to 6Gb/s SATA Adapter - Type-C* only works with 2.5" HDDs or SSDs.

1. Connect your 2.5" HDD or SSD to the SATA connector of the *Adapter*.
2. Connect the USB Type-C connector of the *Adapter* to your computer's USB Type-C port, and verify the Power/Activity LED is ON.
3. The *Adapter* ready for use.

Driver Installation

After the *USB 3.1 Gen 1 to 6Gb/s SATA Adapter - Type-C* is connected to the computer, the Windows / Mac system will automatically detect and install the correct drivers for it. No additional driver installation is needed.

To Verify Windows Installation

1. Right click **This PC**, **Computer** or **My Computer** on the Desktop, then click **Manage**.
2. Select **Device Manager** then expand **Disk Drives** and **Universal Serial Bus Controllers**.
3. **[Name and/or model number of HDD/SSD]** and **USB Mass Storage Device** should be displayed.

Disconnecting the drive (Windows only)

> **Note:** Please wait for data transfer to complete and the Power/Activity LED to stop flashing before disconnecting the *Adapter* from the computer.

1. In the system tray on the Desktop, click **Safely Remove Hardware and Eject Media**. (If hidden, click 🔲 to bring it up.)
2. Click the device you are going to remove in the list.
3. A pop-up message indicates that it is safe to remove the device, then disconnect the *Adapter* from the computer.

Application

Easily adds external 2.5" SATA disk storage through a USB Type-C port.

Figure 2: Application

AVLAB I/O SINCE 1997

USB 3.1 Gen 1 to 6Gb/s SATA Adapter - Type-C

User Reference Guide